

Scorecard - Essex Powerlines Corporation

10/7/2021

Performance Outcomes	Performance Categories	Measures	2016	2017	2018	2019	2020	Trend	Target		
									Industry	Distributor	
Customer Focus Services are provided in a manner that responds to identified customer preferences.	Service Quality	New Residential/Small Business Services Connected on Time	90.50%	90.35%	91.18%	94.78%	93.27%		90.00%		
		Scheduled Appointments Met On Time	90.80%	93.12%	94.79%	93.15%	94.46%		90.00%		
		Telephone Calls Answered On Time	73.60%	79.47%	87.67%	82.62%	65.17%		65.00%		
	Customer Satisfaction	First Contact Resolution	98.25%	97.42%	98.52%	98.99%	99.15%				
		Billing Accuracy	99.90%	99.91%	98.26%	99.96%	99.92%		98.00%		
		Customer Satisfaction Survey Results	81%	81%	83%	83%	86%				
Operational Effectiveness Continuous improvement in productivity and cost performance is achieved; and distributors deliver on system reliability and quality objectives.	Safety	Level of Public Awareness	83.00%	83.00%	83.00%	83.00%	83.00%				
		Level of Compliance with Ontario Regulation 22/04 ¹	NI	C	C	C	C			C	
		Serious Electrical Incident Index	Number of General Public Incidents	0	0	0	0	0			0
			Rate per 10, 100, 1000 km of line	0.000	0.000	0.000	0.000	0.000			0.000
	System Reliability	Average Number of Hours that Power to a Customer is Interrupted ²	0.63	0.83	1.82	1.27	1.23			1.24	
		Average Number of Times that Power to a Customer is Interrupted ²	0.50	0.57	1.29	0.84	0.95			0.74	
	Asset Management	Distribution System Plan Implementation Progress	94.16%	98%	18.80%	37.5%	57%				
	Cost Control	Efficiency Assessment	2	2	2	2	2				
		Total Cost per Customer ³	\$541	\$538	\$578	\$580	\$577				
		Total Cost per Km of Line ³	\$35,323	\$35,211	\$37,960	\$10,907	\$10,979				
Public Policy Responsiveness Distributors deliver on obligations mandated by government (e.g., in legislation and in regulatory requirements imposed further to Ministerial directives to the Board).	Connection of Renewable Generation	Renewable Generation Connection Impact Assessments Completed On Time	100.00%	100.00%			100.00%				
		New Micro-embedded Generation Facilities Connected On Time	94.74%	100.00%	100.00%	100.00%			90.00%		
Financial Performance Financial viability is maintained; and savings from operational effectiveness are sustainable.	Financial Ratios	Liquidity: Current Ratio (Current Assets/Current Liabilities)	0.70	0.65	0.67	0.57	0.72				
		Leverage: Total Debt (includes short-term and long-term debt) to Equity Ratio	0.91	0.95	1.10	1.31	1.32				
		Profitability: Regulatory Return on Equity	Deemed (included in rates)	9.85%	9.85%	9.00%	9.00%	9.00%			
			Achieved	7.25%	3.37%	8.11%	7.30%	6.14%			

1. Compliance with Ontario Regulation 22/04 assessed: Compliant (C); Needs Improvement (NI); or Non-Compliant (NC).

2. An upward arrow indicates decreasing reliability while downward indicates improving reliability.

3. A benchmarking analysis determines the total cost figures from the distributor 's reported information.

Legend:

5-year trend
 up down flat
 Current year
 target met target not met

2020 Scorecard Management Discussion and Analysis (“2020 Scorecard MD&A”)

The link below provides a document titled “Scorecard - Performance Measure Descriptions” that has the technical definition, plain language description and how the measure may be compared for each of the Scorecard’s measures in the 2020 Scorecard MD&A:

[http://www.ontarioenergyboard.ca/OEB/ Documents/scorecard/Scorecard Performance Measure Descriptions.pdf](http://www.ontarioenergyboard.ca/OEB/Documents/scorecard/Scorecard%20Performance%20Measure%20Descriptions.pdf)

Scorecard MD&A - General Overview

Essex Powerlines Corporation (“EPLC”) is dedicated to meeting and exceeding customer and community needs. It does so by providing services that put the needs of its customers first and are cost effective.

In 2020, EPLC continued to exceed all performance targets set for the industry. EPLC saw improvement in many areas, as compared to 2019 including an increase in scheduled appointments met on time and an increase in first contact resolution.

EPLC proactively monitors scorecard metrics using dashboards, in order to actively monitor and ensure compliance, while continuously investigating further opportunities to improve upon its performance. EPLC is committed to on-going year over year performance improvement for 2021 and beyond.

Service Quality

- **New Residential/Small Business Services Connected on Time**

In 2020, EPLC connected 93.27% of low voltage residential and small business customers within the five-day timeline prescribed by the Ontario Energy Board (OEB). This is a slight decline from 2019’s performance of 94.78%. EPLC has consistently outperformed the industry target of 90% for the past five years, since 2016.

- **Scheduled Appointments Met On Time**

EPLC scheduled 542 customer related appointments in 2020 and attended 94.46% of these appointments on time. This is a slight improvement from 93.15% of appointments met on time in 2019. For the five-year period from 2016 to 2020, EPLC has consistently outperformed the industry target of 90%.

- **Telephone Calls Answered On Time**

EPLC's customer service call center received 26,206 calls and 65.17% of the time a Customer Service Representative answered the phone within 30 seconds or less. This is a decline from 82.62% of telephone calls answered on time in 2019. In 2020, EPLC had unforeseen personnel absences during the COVID-19 pandemic within the customer service department, which resulted in delayed response time for calls received. Furthermore, EPLC received increased calls from customers regarding customer choice related to the tiered/TOU pricing option as well as calls relating to COVID-19 emergency rates. EPLC has consistently outperformed the industry target of 65% for the five-year period from 2016 to 2020.

Customer Satisfaction

- **First Contact Resolution**

Electricity distributors have been granted discretion related to how this metric is implemented and monitored. Formalization of this metric by the OEB is anticipated in the near future. The spirit of this metric, however, is to identify a distributor's effectiveness at satisfactorily addressing customer's complaints upon first contact with a distributor.

EPLC measures this metric based on the number of calls received and how many required escalations to a supervisor. In 2020, 99.15% of calls received by EPLC were resolved without escalation to a supervisor. This is consistent with 2019 where 98.99% of calls did not require escalation.

- **Billing Accuracy**

For 2020, EPLC issued 370,925 bills and achieved a billing accuracy of 99.92%. This is consistent with the 2019 result of 99.96%. EPLC has constantly outperformed the industry target of 98% for the five-year period from 2016 to 2020 and will continue to monitor its billing accuracy to ensure compliance with the standard established by the OEB.

- **Customer Satisfaction Survey Results**

Electricity distributors have been granted discretion related to their implementation of this metric. Customer satisfaction surveys are required to be completed on a biennial basis and are meant to examine customer satisfaction levels in the following key areas: (a) power quality and reliability; (b) price; (c) billing and payment; (d) communications and; (e) the customer service experience. Distributors are expected to follow good survey practices and select samples that adequately represent the distributors' rate payer population.

In 2020, EPLC engaged an independent third-party service provider to conduct a telephone survey on its behalf. A total of 414 random telephone surveys were completed, with 379 residential customers and 35 general service (under 50kW) customers surveyed. Customers were polled on their levels of satisfaction with EPLC in the following areas: (a) overall satisfaction; (b) reliability & power quality; (c) billing & payment; (d) customer service experience; (e) communications and; (f) price.

The customer service survey results indicate that overall 86% of customers are satisfied with EPLC. EPLC uses feedback received from the survey results as a method of better understanding customer preferences and priorities in order to improve ongoing customer satisfaction.

Safety

- **Public Safety**

- **Component A – Public Awareness of Electrical Safety**

This survey is required to be completed on a biennial basis; as such a survey was not completed in 2020. In 2019, EPLC engaged a third party to conduct this survey on its behalf. Random telephone surveys were conducted on 374 residents, 18 years of age or older, residing within EPLC's service territory. The survey's focus was to measure the public's level of awareness regarding key electrical safety precautions. The results indicated that 83% of the public are aware of Electrical Safety, which is consistent with the results of the last survey completed in 2017.

- **Component B – Compliance with Ontario Regulation 22/04**

O.Reg. 22/04 requires the "approval of equipment, plans, specifications and inspection of construction before putting systems into service"¹. EPLC compliance with this regulation is audited annually by an independent consultant selected by the ESA. These audits

¹ "EDSR | Ontario Regulation 22/04." *ESA website*, <https://esasafe.com/role/edsr/>

will yield one of the following outcomes:

- Not Compliant – indicates a failure to comply with a substantial part of O.Reg. 22/04 or continuing failure to comply with a previously identified NI item;
- Needs Improvement – indicates continuing failure to comply with a previously identified NI item or a non-pervasive failure to comply with adequate, established procedures for complying with O.Reg. 22/04;
- Compliance – indicates that the distributor substantially meets the requirements of O.Reg. 22/04

In 2020, EPLC received an audit result of Compliant, which is consistent with the audit result in 2019. EPLC continues to ensure it is compliant with O.Reg. 22/04. Safety is a core value of EPLC and its importance is highlighted throughout EPLC's daily operations.

○ **Component C – Serious Electrical Incident Index**

There have been no serious electrical contacts within EPLC's distribution system during the five-year period from 2016 to 2020 as indicated on the scorecard.

System Reliability

• **Average Number of Hours that Power to a Customer is Interrupted**

EPLC experienced a slight decrease in the number of hours where power to a customer was interrupted, which was 1.23 in 2020 compared to 1.27 in 2019. EPLC's current five-year average is 1.16 hours which is consistent with last year's five-year average and below the target of 1.24. Loss of supply (outside of EPLC's service territories) has historically been, and continues to be, the largest contributor to this metric. In 2020, 49.4% (a decrease from 59.3% in 2019) of the total number of hours power was interrupted was the result of a loss of supply event. All other sources of customer interruptions are noted in Figure 1 below.


Scheduled outages, foreign interference and adverse weather are some of the various incidents that can affect this metric. EPLC's Distribution System Plan ("DSP"), Reliability Centered Maintenance ("RCM") and Asset Management Programs are designed to reduce these occurrences. In addition, EPLC uses Best-In-Class Asset Investment Strategy tools and processes to improve this metric.

Examples of these tools and processes include:

- Using risk assessments and strategic objectives to reduce risk and optimize investment;
- Maintain RCM statistics within acceptable severity and importance indices;
- Perform inspections, preventative maintenance and remediate findings;
- "Global Information System" (GIS) provides full customer connectivity and asset information;

- SmartMAP software provides:
 - Full integration of alerts of out of range distribution system data (i.e. voltage, loading, fault current and outages),
 - Engineering – modelling, design and analysis tools

Figure 1




● **Average Number of Times that Power to a Customer is Interrupted**

EPLC experienced a slight increase in the number of times that power to a customer was interrupted, which was 0.95 in 2020 compared to 0.84 in 2019. EPLC’s five-year average is 0.83 times which increased slightly compared to the previous five-year average and is above the target of 0.74. Scheduled outages, foreign interference (animal, vehicle, dig-ins) and defective equipment account for approximately 56.7%, 19.2% and 7.0% of the 2020 metric respectively. All other sources of power interruption are noted in Figure 2 below.

Consistent with above, several incidents can affect this metric. EPLC’s “DSP”, “RCM”, Asset Management Programs and Best-In-

Class Asset Investment Strategy tools and processes help to reduce these occurrences.

Figure 2



Asset Management

- Distribution System Plan Implementation Progress**

EPLC filed its first DSP as part of its Cost of Service Application submitted in August 2017 which was approved effective May 1, 2018 and implemented October 1, 2018. The DSP outlines the forecasted capital expenditures over the next five years required to maintain, improve and expand EPLC's distribution system.

EPLC measures the progress of its DSP implementation as a ratio of actual total capital expenditures and system O&M over the total amount of planned capital expenditures and system O&M for the five-year DSP forecast. The 2020 measure indicates that EPLC has completed 57% of its planned projected spend and is on target to complete its five-year plan.

Cost Control

- **Efficiency Assessment**

The total costs for Ontario Electricity Distributors are evaluated by the Pacific Economics Group LLC (“PEG”) on behalf of the OEB to produce a single efficiency ranking. Essentially there are a total of five groups within the rankings, with Group 1 being the most efficient and Group 5 being the least efficient. Since 2012, EPLC has been ranked in Group 2, which is the second most efficient grouping of Ontario Electricity Distributors. EPLC is committed to maintaining its current efficiency ranking.

- **Total Cost per Customer**

Total cost per customer is calculated as the sum of EPLC’s capital and operating costs and dividing this figure by the total number of customers served. The cost performance result for 2020 is \$577 per customer which is a slight decrease (0.5%) over 2019 and is an overall average increase per year of 1.5% during the period from 2016 to 2020.

Cost increases experienced are often directly related to industry-driven objectives and new legislated directives that require distributors to invest in assets, personnel and technology to appropriately satisfy these new directives. Over the course of the past several years, examples of these changes would include: customer focused engagement, cybersecurity, the implementation of Smart Meters, increased complexity for market settlement, and the adoption of new accounting standards. EPLC remains committed to implementing all new directives in the most cost-conscious manner possible.

- **Total Cost per Km of Line**

Total cost for this metric is as described above under total cost per customer. This total cost is divided by the kilometers of line that EPLC operates in order to adequately service its customers. EPLC’s 2020 rate is \$10,979 per km of line which is a slight increase (0.7%) over 2019. EPLC reported a small decrease in total km’s of line in 2020, which led to an overall increase in cost per km of line.

Conservation & Demand Management

- **Net Cumulative Energy Savings**

On March 20, 2019, the Minister of Energy, Northern Development and Mines revoked the direction entitled 2015-2020 Conservation First Framework. EPLC has been working with the Ministry and the IESO to discontinue and wind down all programs. Therefore, this measure is no longer available.

Connection of Renewable Generation

- **Renewable Generation Connection Impact Assessments Completed on Time**

Electricity distributors are required to conduct CIAs within 60 days of the receipt of a complete application. In 2020, EPLC had one request for CIAs that was completed within the prescribed time limit.

- **New Micro-embedded Generation Facilities Connected On Time**

Electricity distributors are required to connect new micro-embedded generation facilities within five business days. In 2020, EPLC connected no new micro-embedded generation facilities. EPLC has consistently performed above the industry target of 90% for the five-year period from 2016 to 2020.

Financial Ratios

- **Liquidity: Current Ratio (Current Assets/Current Liabilities)**

As an indicator of financial health, a current ratio that is greater than 1 is considered good as it indicates that the company can pay its short-term debts and financial obligations. Companies with a ratio of greater than 1 are referred to as being “liquid”. The higher the number, the more liquid and the larger the margin of safety to cover the company’s short-term debts and financial obligations.

EPLC’s current ratio trended down from 0.70 in 2016 to 0.57 in 2019 and then up to 0.72 in 2020. This was intentional because the relationship of long-term vs. short-term interest rates was inverted over the years 2018-2019. As a result, EPLC has adapted and secured more long-term financing to replace shorter-term borrowings since 2019 in order to take advantage of historically low financing rates. EPLC’s goal was to increase its liquidity by the end of 2020 and is targeting a further increase by the end of 2021.

- **Leverage: Total Debt (includes short-term and long-term debt) to Equity Ratio**

The OEB uses a deemed capital structure of 60% debt and 40% equity for electricity distributors when establishing rates. This deemed capital mix is equal to a debt to equity ratio of 1.5 (60/40). A debt to equity ratio of more than 1.5 indicates that a distributor is more highly leveraged than the deemed capital structure. A high debt to equity ratio may indicate that an electricity distributor may have difficulty generating sufficient cash flows to make its debt payments. A debt to equity ratio of less than 1.5 indicates that the distributor is less leveraged than the deemed capital structure. A low debt-to-equity ratio may indicate that an electricity distributor is not taking advantage of the increased profits that financial leverage may bring.

EPLC's Total Debt to Equity ratio has been trending up from 0.91 in 2016 to 1.32 in 2020. EPLC had intentionally maintained a low Debt to Equity ratio to minimize its annual interest costs and to remain flexible should unforeseen borrowing needs arise. EPLC's goal was to increase its leverage closer to the approved ratio of 1.5 by the end of 2020 and beyond.

- **Profitability: Regulatory Return on Equity – Deemed (included in rates)**

The OEB allows a distributor to earn within +/- 3% of the expected rate of ROE. When a distributor performs outside of this range, the actual performance may trigger a regulatory review of the distributor's revenues and costs structure by the OEB. The allowed deemed return on equity was decreased from 9.85% to 9.00% further to the OEB Final Rate Order EB-2017-0039 effective May 1, 2018 and implemented October 1, 2018.

- **Profitability: Regulatory Return on Equity – Achieved**

EPLC's regulatory ROE achieved in 2020 was 6.14%, which falls within the +/-3% range of the deemed ROE of 9.00%. EPLC's regulatory average ROE is 6.43% for the five-year period from 2016 to 2020.

Note to Readers of 2020 Scorecard MD&A

The information provided by distributors on their future performance (or what can be construed as forward-looking information) may be subject to a number of risks, uncertainties and other factors that may cause actual events, conditions or results to differ materially from historical results or those contemplated by the distributor regarding their future performance. Some of the factors that could cause such differences include legislative or regulatory developments, financial market conditions, general economic conditions and the weather. For these reasons, the information on future performance is intended to be management's best judgement on the reporting date of the performance scorecard, and could be markedly different in the future.

Carte de pointage - Essex Powerlines Corporation

10/7/2021

Résultats sur le rendement	Catégories de rendement	Mesures	2016	2017	2018	2019	2020	Tendance	Objectif	
									Industrie	Distributeur
Approche vis-à-vis de la clientèle Les services sont fournis de manière à tenir compte des préférences des clients.	Qualité du service	Nouveaux services destinés aux consommateurs résidentiels ou aux petites entreprises branchés en temps voulu	90,50%	90,35%	91,18%	94,78%	93,27%	↑	90,00%	
		Date et heure de rendez-vous respectées	90,80%	93,12%	94,79%	93,15%	94,46%	↑	90,00%	
		Réponse en temps voulu aux appels téléphoniques	73,60%	79,47%	87,67%	82,62%	65,17%	↓	65,00%	
	Satisfaction de la clientèle	Résolution dès la première communication	98,25%	97,42%	98,52%	98,99%	99,15%	↑	98,00%	
		Exactitude de la facturation	99,90%	99,91%	98,26%	99,96%	99,92%	↑	98,00%	
		Résultats du sondage sur la satisfaction de la clientèle	81%	81%	83%	83%	86%			
Efficacité opérationnelle Une amélioration continue de la productivité et de l'indice rendement-coûts est atteinte. Le distributeur respecte les objectifs du réseau en matière de fiabilité et de qualité.	Sécurité	Niveau de sensibilisation du public	83,00%	83,00%	83,00%	83,00%	83,00%			
		Niveau de conformité avec le Règlement de l'Ontario 22/04 ¹	BA	C	C	C	C	→		C
		Indice des incidents électriques graves	Nombre d'incidents liés au grand public	0	0	0	0	0	→	0
	Fiabilité du réseau	Taux par 10, 100 ou 1 000 km de ligne de transport	0,000	0,000	0,000	0,000	0,000	→	0,000	
		Nombre d'heures moyen où le client est privé d'électricité ²	0,63	0,83	1,82	1,27	1,23	↑	1,24	
	Gestion de l'actif	Nombre moyen d'occurrences où le client est privé d'électricité ²	0,50	0,57	1,29	0,84	0,95	↓	0,74	
		Avancement de la mise en œuvre du plan du réseau de distribution	94,16%	98%	18,80%	37,5%	57%			
	Contrôle des coûts	Évaluation de l'efficacité	2	2	2	2	2			
		Coût total par client ³	541\$	538\$	578\$	580\$	577\$			
		Coût total par kilomètre de ligne de transport ³	35 323\$	35 211\$	37 960\$	10 907\$	10 979\$			
Réactivité aux politiques publiques. Le distributeur remplit ses obligations imposées par le gouvernement (p. ex. les exigences légales et réglementaires imposées à la Commission et venant s'ajouter	Branchement à des installations de production d'énergie renouvelable	Réalisation en temps voulu des études d'impact du branchement aux installations de production d'énergie renouvelable	100,00%	100,00%			100,00%			
		Branchement en temps voulu de nouvelles installations de production de petite taille intégrées	94,74%	100,00%	100,00%	100,00%		↻	90,00%	
Rendement financier La viabilité financière est entretenue et les économies générées par l'efficacité opérationnelle peuvent être maintenues.	Ratios financiers	Liquidités : ratio de liquidité générale (actif à court terme/passif à court terme)	0,70	0,65	0,67	0,57	0,72			
		Levier financier : montant total de la dette (incluant endettement à court terme et à long terme)/capitaux propres	0,91	0,95	1,10	1,31	1,32			
		Rentabilité : taux de rendement des capitaux propres réglementé	Présumé (inclus dans les tarifs)	9,85%	9,85%	9,00%	9,00%	9,00%		
			Atteint	7,25%	3,37%	8,11%	7,30%	6,14%		

1. Évaluation de la conformité avec le Règlement de l'Ontario 22/04 : conforme (C), besoin d'amélioration (BA) ou non conforme (NC).

2. Une flèche ascendante indique une fiabilité décroissante alors qu'une flèche descendante indique une fiabilité croissante.

3. Une analyse comparative établit le coût total à partir des renseignements fournis par le distributeur.

Légende:

Tendance sur 5 ans

↕ vers le haut ↕ vers le bas ↻ stable

Année actuelle

● objectif atteint ● objectif non-atteint